


UBS Stand



“Cambo’s UBS stands are incredibly sturdy and solid. The smooth movements are crucial when shooting with extremely sensitive and expensive digital camera backs. You don’t want that kind of equipment bouncing all over the place. We tested other stands, but they didn’t offer anything more than the UBS except for a bigger price tag.”

Jim Guttosch,
Ambrosi and Associates
Chicago, Illinois

The Best Investment You’ll Ever Make

If there is one item in a photo studio that most photographers would agree is simply indispensable, it would most likely be their studio stand. A good studio stand is an absolutely essential ingredient in today’s successful studio.

Not only does the studio stand provide the most rigid camera support for large format cameras, but, most importantly, it provides fluid-smooth and time-efficient camera positioning unparalleled by any tripod!

With a studio stand you can take your camera from floor to ceiling in seconds, from one end of the studio to the next in a matter of minutes, or to the exact same perspective you shot from two weeks ago in the blink of an eye. No other camera support is faster, easier or more precise than a good studio stand.

Cambo’s studio stands have set the standards by which other studio stands have been measured for decades, and have earned their reputation as the best value in large format camera support systems. When you buy a Cambo stand, you’ll get a return on your investment that will amaze you!

Opposite page: UBS Stand with UCB base shown with optional accessory tray, camera platform and Cambo View Camera



Smooth Ball Bearing Movements

CAMBO UBS STUDIO STAND
Cambo’s top-of-the-line UBS Studio Stand not only takes the effort out of large format studio photography, it makes it a pleasure. This heavy-duty stand, with its rigid 4” square column, is smooth and easy to use, and will save you lots of time. The UBS offers these unique features:

Ⓐ Ball Bearing Movements

Lateral crossarm, rotating collar and height-control movements each glide effortlessly on ball bearings at the touch of your fingertip.

Ⓑ Fully Scaled Movements

Precise positioning and realignment is assured to the millimeter on the column, lateral crossarm and rotating collar. Time and time again, the UBS stand delivers reliable and accurate movements that eliminate guesswork from studio setups. The rock-solid stability of the UBS stand makes it perfect for pinpoint-sharp time exposures and multiple flash exposures, and it is ideal for digital photography.

Ⓒ Rotating Collar

This unique panning movement built into the crossarm assembly allows the camera and horizontal arm to be rotated from any height on the column. This makes panning control independent of vertical, or height adjustment control, adding precision to your camera-positioning capabilities.

Ⓓ Choice of Two Caster Bases

Choose from Cambo’s Single Action Base UCB, with its quick-release foot pedal, or the U-0 economical Three-Way Locking Caster Base. Both offer quick, smooth and easy repositioning of the studio stand and positive locking once you’ve found your spot.

Full Accessory System

As when buying any professional photographic tool, it’s important to consider the accessory system that supports it. Cambo’s commitment to the studio photographer has taken this into consideration and, in the process, has produced a vast array of specialised camera supports, arm extensions and heads geared to meet all possible studio applications. See page 5 for details.

Available in 7’, 9’ and 12’ (specials on request)
Choose the height to match your specific needs.

UBS Studio Stands with Single-Action Base

(Pictured above.) Includes column, crossarm, and specified base. Mounting platforms and heads are not included.

7’ Stand (214cm)	UBS-1/UBA/UCB
9’ Stand (274cm)	UBS-2/UBA/UCB
12’ Stand (364cm)	UBS-3/UBA/UCB

UBS Studio Stands w/3-Way Locking Base

See page 5 for description and photo of base.

7’ Stand (214cm)	UBS-1/UBA/U-0
9’ Stand (274 cm)	UBS-2/UBA/U-0
12’ Stand (364 cm)	UBS-3/UBA/U-0

UST Stand



The Best Buy in Rock-Solid Support UST STUDIO STAND

This classic Cambo studio stand is a mainstay in many of the country's finest photo studios. By far the best value available in a heavy-duty studio stand, the UST combines rock-solid construction with smooth, counter-balanced movements. Consider these UST features:

Rigid Vertical Support

A 120mm diameter aluminum column provides solid support, while counterbalanced height adjustments are quick and effortless. A built-in guide provides precise vertical camera movement.

Smooth Lateral Shifts

The UST's gear-driven crossarm travels 44cm in each direction, offering precise camera positioning.

Exceptional Base Support

Cambo UST comes with the economical Three-Way Locking Base or the convenient Single-Action Base.

Full Accessory System

Cambo supports the UST studio stand with an extensive accessory system. Choose from a wide range of camera supports, extension tubes and heads geared to extending the conveniences of this amazing stand.

A UST Stands with Three-Way Locking Base (U-0)

Includes column, crossarm and base. Mounting platforms and heads are sold separately.

- 7' Stand (210cm) UST-1
- 9' Stand (270cm) UST-2
- 12' Stand (360cm) UST-3

UST Stands with Single-Action Base (UCB)

Includes column, crossarm and base. See page 3 for photo of Single-Action Base.

- 7' Stand (210 cm) UST-1/UCB
- 9' Stand (270 cm) UST-2/UCB
- 12' Stand (360 cm) UST-3/UCB

B Low Angle Adapter Arm (U45)

Ideal for ground level, low-angle shots. This rigid 50 cm arm accepts U9 or U29 platforms.



UBS AND UST ACCESSORIES



F Extension Tube (U6)
Adds 38cm to crossarm. Mounts directly into arm and accepts any camera platform.

B Rotating Camera Platform (U29)
This right-angle platform features a rotating platform (with 3/8" threaded mount) which makes mounting easy and pan control more convenient.

C Right-Angle Platform (U9)
With 3/8" threaded fitting.

D Accessory Tray (U50)
Single-platform tray mounts at center of crossarm to provide easy access.

Option Balance Weights (U60)
Place any or all of these four weights (1.4kg each for a total of 5.5kgs.) in special wells of the U50 Accessory Tray when using a light camera to balance the carriage.

Computer/Laptop Tray (U52)
The U-52 Laptop tray fits onto the UBA crossarm and has an area of 46 cm wide by 40 cm depth to place any Computer/Laptop or Monitor to follow the vertical movement of the mounted cameras.




G Balancing Arm (U36)
This gravity-defying extension arm features fluid-smooth horizontal axis movement that is perfectly balanced. Tilt to any angle and let go. Camera rests in the precise spot you leave it even before lock-down.

H Cambo 3-D Gearhead (SCH)
Provides 140° of self-locking tilt, 90° forward and 50° back. 180° manual side-to-side tilt movement with adjustable resistance. (Includes 3/8" threaded mount.)

Cambo 3D Gearhead (SCH-U)
Includes U19 direct mount adapter for mounting into UBS or UST cross arm for maximum stability.



Opposite page: UST studio stand shown with optional camera platform.



Cambo Family

Check the Specs!

UBS/UST Stands

Product	Height	Total Weight
UBS-1 Stand w/UCB Base	2.14m	114kg
UBS-2 Stand w/UCB Base	2.74m	117kg
UBS-3 Stand w/UCB Base	3.64m	121kg
UST-1 Stand w/U-0 Base	2.10m	104kg
UST-2 Stand w/U-0 Base	2.70m	107kg
UST-3 Stand w/U-0 Base	3.60m	111kg

UBS/UST Accessories

Product	Description	Specifications
U-6	Extension Tube	Extension: 38cm
U-7	Camera Platform	3/8" Camera mount
U-8	Camera Platform	1/4" Camera mount
U-9	Camera Platform 90°	3/8" Camera mount
U-10	3D Camera Platform	3/8" Camera mount 2x

Product	Description	Specifications
U-12	Camera Platform 90°	1/4" Camera mount 90°
U-13	Coupling Unit	
U-14	Coupling Unit 90°	
U-15	Counterweight UST	for UST column only
U-17	Adapter from 3/8"	
U-19	Adapter for SCH	Converts SCH to SCH-U
U-20	Wrench for m20 nut	
U-29	Panning Camera Platform	3/8" Camera mount
U-30	Set of Large Casters	for U-0 base only
U-36	Balancing Arm	3/8" Camera mount
U-45	Low Position Adapter	Displacement 45cm
U-50	Central Accessory Tray	Capacity: 12kg
U-52	Computer/Laptop Tray	Width 46 x 40 cm
U-55	Double Accessory Tray	Capacity: 2 x 2.5kg
U-60	5.5kg Balance Weights	Set of 4 fits into U-50

MonoStands and Accessories

Product	Height	Total Weight	Crossarm Move
Mono-1 w/Mono-0	2.10m	35kg	300mm
Mono-1 w/Cal-0	2.10m	45kg	300mm
Mono-2 w/Cal-0	2.70m	46kg	300mm

Product	Description	Specifications
Mono-5	Accessory Tray	Capacity 3kg
Mono-10	Camera mount	1/4" thread
Mono-20	Camera mount	3/8" thread

3-d Gearheads and Ballheads

Product	Description	Height	Total Weight
SCH	3D Gearhead	21cm	2.5kg
SCH-U	3D Gearhead	21cm	3.0kg

SCH supports cameras upto 25kg

Product	Description	Height	Total Weight
CBH-2	Ballhead	9cm	0.2kg
CBH-3	Ballhead	12cm	0.5kg
CBH-5	Ballhead	11cm	0.6kg

Light Booms & Accessories

Product	Description	Overall length	Total Weight
RD-1100	Compact Boom	132cm	4.0kg
RD-1101	Compact Boom	132cm	4.0+6.8kg lead

RD-1100 includes 1 empty weight bag

Product	Description	Overall length	Total Weight
RD-1200	Compact Boom	290cm	7.0kg
RD-1201	Compact Boom	290cm	7.0+11kg lead

RD-1200 includes 2 empty weight bags

Product	Description	Extension length	Weight
RD-1212	Extension	30cm	0.6kg
RD-1218	Extension	46cm	0.7kg

•RD-1212 included in Compact Boom
•RD-1218 included in Standard Boom

Product	Description	Extension length	Weight
RD-1224	Extension	61cm	0.9kg
RD-1230	Extension	76cm	1.0kg
RD-1248	Extension	122cm	1.4kg